

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12768	(recipient\$1 or receiver\$1) near3 (capabilit\$3 or characteristic\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 10:35
L2	3528	709/206-207.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 10:40
L3	81	715/739.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 10:42
L4	2623	videophone	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 10:43
L5	12547	(partition\$3 or separat\$4 or divid\$3) near3 message\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 10:56
L6	32	2 and 5 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 10:48
L7	10	6 and @ad<"20000501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 10:51
L8	3889	select\$4 near4 transmission near2 mode\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 10:49
L9	0	8 and 1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 10:49
L10	10	8 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 10:51

L11	35474	gui	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 10:51
L12	25	11 and 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 10:51
L13	10	12 and @ad<"20000501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 10:57
L14	541	5 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 10:54
L15	185	14 and @ad<"20000501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 10:54
L16	91	(partition\$3 or separat\$4 or divid\$3) near3 message\$1 with ((before or prior) near2 (transmission or send\$3 or forward\$3 or transmit\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 11:09
L17	50	16 and @ad<"20000501"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 10:57
L18	1	(partition\$3 or separat\$4 or divid\$3) with ((before or prior) near2 (transmission or send\$3 or forward\$3 or transmit\$4)) with ((sender\$1 or client\$1 or recipient\$1 or receiver\$1) near3 (characteristic\$1 or capabilit\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 11:04
L19	235	kumhyr.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 11:05
L20	626	(partition\$3 or separat\$4 or divid\$3 or pars\$3 or split\$4) near3 (message\$1 or text or data or email or (e adj mail)) with ((before or prior) near2 (transmission or send\$3 or forward\$3 or transmit\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 11:13

L21	12	(("5,606,702") or ("5,815,142") or ("6,154,465") or ("6,167,366") or ("6,212,548") or ("6,266,701")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/17 11:13
L22	7	("5606702").URPN.	USPAT	OR	OFF	2005/11/17 11:20
L23	2	4 and 709/205.ccls.	USPAT	OR	OFF	2005/11/17 11:21
L24	17	4 and 709/204.ccls.	USPAT	OR	OFF	2005/11/17 11:21